


# B2B CATALOG PACKAIR BUBBLE AND EXPANDABLE ENVELOPES



# PACKAIR

[www.PACKAIR.pl](http://www.PACKAIR.pl)

Packair Sp. z o. o.  
Przyprostynia, ul. Prandoty 150,  
64-360 Zbąszyń

Factory of bubble and expandable envelopes, film production, printing,  
envelope folding, wholesale.

catalog in English





## Offer

Thanks to our modern machinery park, we can produce any type of mailer with bubble film as well as expandable „RBD” envelopes.

### We offer bubble mailers:

- standard types available from stock,
- with print applied to finished envelopes using CMYK inkjet technology,
- with flexographic print from 1 to 6 colors, single- or double-sided,
- with full-surface APLA flexographic print,
- with offset printing in CMYK or 4 PANTONE colors, single or double-sided,
- with a straight flap and one adhesive strip,
- with a trapezoid flap and tamper-evident strip for shipping companies (also called a control strip),
- with an e-commerce flap allowing easy opening and return to the sender, equipped with two adhesive strips and a tear strip,
- with an easy-open flap, featuring one adhesive strip and a tear strip,
- in formats D/14, G/17 with window, and C/13,
- in shrink-wrapped bubble envelope packs, from 3 to 20 pieces per package.



### We offer RBD expandable mailers:

- standard types available from stock,
- with print applied to finished envelopes using screen printing and CMYK inkjet technologies,
- with offset printing: CMYK and PANTONE, for coverage ranging from 1% to 100% (including full-bleed printing),
- in standard and non-standard formats, as well as with address windows.

## ALL MATERIALS FOR DOWNLOAD

You can find the Packair catalog, price list, and other materials in electronic format at:  
[www.packair.pl](http://www.packair.pl)

The electronic version of the catalog without Packair branding is available at:  
[www.pack-send.eu](http://www.pack-send.eu)



## Customer Service

Our Customer Service Office will collect the details of the product you need, offer advice, and provide a quote with a specified lead time. Our DTP Graphics Department will adapt your submitted design for print free of charge or create a new one based on your description, provided text, and logo. We have many years of experience serving individual clients, corporations, and export customers. Thanks to our high-quality service, product execution, and consistency, we have earned a leading position on the Polish market.



## Production and Quality Control

We carry out the full production cycle of bubble mailers under one roof. We manufacture our own bubble film and print on white and brown paper rolls. We also offer CMYK inkjet printing on finished products. Mailers are assembled on two modern production lines with a combined capacity of 5,000,000 pieces per month. We also provide shrink-wrapped packaging services. Production is carried out based on individual work orders for each machine, ensuring the proper processing of every component and final product. Our experienced staff conduct quality control during machine setup and product packaging, and several mailers from each pallet are additionally checked by a quality controller.



## Warehouse and Logistics

We operate a high-bay warehouse, which allows us to maintain large stock levels readily available for wholesalers and to fulfill even the largest corporate orders with custom print. We have extensive experience in both domestic and international shipping, including land export to the UK and sea container shipments to Ireland. Labels, pallet cards, cartons, pallet layout, pallet height, and type of securing are all tailored to the customer's requirements – we always suggest the most efficient and effective solutions.

**Standard - available in stock:**



White offset bubble mailers SuperPAK Extra.....p. 6  
 White foil bubble mailers SuperPAK Extra.....p. 8  
 Brown kraft bubble mailers SuperPAK Gold.....p. 10  
 White kraft bubble mailers SuperPAK Classic.....p. 12  
 Expandable mailers RBD.....p. 14  
 Bubble mailers D/14 with window.....p. 16

**On request - without print or with print:**



White offset bubble mailers..... p. 18  
 Brown kraft bubble mailers..... p. 20  
 White kraft bubble mailers..... p. 22  
 Bubble mailers with window..... p. 24  
 XXL mailers..... p. 26  
 Expandable mailers RBD..... p. 28

**Types of closing flaps**



Straight flap envelope with peel and seal ..... p. 31  
 Trapezoid flap..... p. 32  
 Trapezoid flap envelope with peel and seal..... p. 33  
 Courier flap with Easy Open strip..... p. 34  
 E-commerce flap with return option..... p. 35  
 Straight flap envelope with peel & seal..... p.36

**Printing options**



INK-JET printing..... p.37  
 FLEXO printing..... p.39  
 OFFSET CMYK printing..... p.44

**Possibility of printing on a ready-made envelope**



DIGITAL printing..... p.47




STANDARD

BUBBLE MAILERS



**AVAILABLE IN STOCK**



**PACKAIR**

You can order bubble and expandable mailers with a certificate:



The mark of  
responsible forestry  
FSC® C134989

# White bubble mailers – without hang holes

## SuperPAK extra®

Goods available from stock – starting from 1 carton

mailer:




in carton:



„Open here”

paper: white offset



EAN barcode as standard



↑ OPEN ↑ HERE ↑ OTWÓRZ ↑ OTKRYTY ↑ ATIDARYTI ↑ OTEVĚŘIT ↑ OTVORIT ↑ ITT ↑ OPEN ↑ HER ↑ OTWÓRZ ↑ OTKRYTY ↑ OPEN ↑ HER ↑ OTWÓRZ ↑ OTKRYTY ↑

### White Bubble Mailers without security seal holes – SuperPAK Branded

White bubble mailers without security seal holes, printed with the SuperPAK brand, format markings, and EAN-13 barcode. This series of mailers features an internal bubble film lining for air-cushioned protection and is available in 11 standard sizes. Made from 75 g/m<sup>2</sup> white offset paper.

Commonly used for courier shipments, these mailers offer excellent durability and secure delivery. Thanks to an innovative production technology, the paper and film layers can be easily separated after use, allowing for fast and efficient waste sorting!



### Customer printing options available:

#### Printing on finished mailers:



**DIGITAL Printing** (on finished mailers – unlimited colors – CMYK color range, registered printing)  
Mailers are first produced without print, Ideal for quantities ranging from 2,000 to ~5,000 pieces, Available as single- or double-sided print, High-quality CMYK digital printing with precise registration, Perfect for detailed, full-color graphics and personalized designs.



The mark of responsible forestry  
FSC® C134989

SuperPAK Extra bubble mailers are available from stock and made of 75 g/m<sup>2</sup> white offset paper with FSC® certification (FSC® MIX category). Each mailer features a printed label on the back, clearly indicating its certified origin. This product combines environmental responsibility with high-quality protection, making it ideal for businesses that value both sustainability and performance.

# White bubble mailers – without hang holes

## SuperPAK extra®



Goods available from stock – starting from 1 carton



index: **77030027**  
**format: A/11**

internal dimensions: 100x165 mm  
external dimensions: 120x175 mm  
boxed: 200 pcs.  
palletized: 12,000 pcs.  
total pallet height: 1.98 m



index: **77130027**  
**format: B/12**

inner dimensions: 120x215 mm  
outer dimensions: 140x225 mm  
boxed: 200 pcs.  
palletized: 7200 pcs.  
total pallet height: 1.87 m



index: **77230027**  
**format: C/13**

inner dimensions: 150x215 mm  
outer dimensions: 170x225 mm  
boxed: 100 pcs.  
palletized: 6400 pcs.  
Total pallet height: 2.01 m



index: **77330027**  
**format: D/14**

inner dimensions: 180x265 mm  
outer dimensions: 200x275 mm  
boxed: 100 pcs.  
palletized: 4800 pcs.  
total pallet height: 1.84 m



index: **77430027**  
**format: E/15**

inner dimensions: 220x265 mm  
outer dimensions: 240x275 mm  
boxed: 100 pcs.  
palletized: 3600 pcs.  
total pallet height: 1.84 m



index: **77530027**  
**format: F/16**

inner dimensions: 220x340 mm  
outer dimensions: 240x350 mm  
boxed: 100 pcs.  
palletized: 3000 pcs.  
total pallet height: 1.93 m



index: **77630027**  
**format: G/17**

inner dimensions: 230x340 mm  
outer dimensions: 250x350 mm  
boxed: 100 pcs.  
palletized: 3000 pcs.  
total pallet height: 1.93 m



index: **77730027**  
**format: H/18**

inner dimensions: 270x360 mm  
outer dimensions: 290x370 mm  
boxed: 100 pcs.  
palletized: 2,400 pcs.  
total pallet height: 1.90 m



index: **77830027**  
**format: I/19**

inner dimensions: 300x445 mm  
outer dimensions: 320x455 mm  
boxed: 50 pcs.  
palletized: 1500 pcs.  
total pallet height: 1.81 m



index: **77930027**  
**format: K/20**

inner dimensions: 350x470 mm  
outer dimensions: 370x480 mm  
boxed: 50 pcs.  
palletized: 1500 pcs.  
total pallet height: 2.06 m





index: **78030027**  
**format: CD/21**

inner dimensions: 180x165 mm  
outer dimensions: 200x175 mm  
boxed: 100 pcs.  
palletized: 8000 pcs.  
total pallet height: 1.98 m

mailer:



in packs:



Stock available immediately in quantities of 1 pallet per format. For larger quantities, lead time is up to 10 business days.



sold by the carton:



SPRZEDAŻ  
W KARTONACH

each pack contains 10 pcs: szt. :



FOLIOWANE  
PO 10 SZT.

### MAILER – SPECIFICATION:

White bubble mailers without security seal holes, branded with the SuperPAK logo, format marking, and EAN-13 barcode.

This series features air-cushion protection (bubble film insert) and is available in 11 standard sizes.

Made from 75 g/m<sup>2</sup> white offset paper. Widely used for courier shipments.

After use, the paper and film layers can be easily separated, enabling quick and efficient waste sorting!

### MAILER WITH STANDARD PRINT:

FSC® certification label, multilingual „Recycling! Separate film from paper” message with graphic recycling instructions, multilingual “OPEN HERE” text indicating the most convenient spot, for the recipient to open the mailer format + internal and external dimensions + „Made in Europe” logo



paper: white offset



The mark of  
responsible forestry  
FSC® C134989

SuperPAK Extra bubble mailers, pre-packed in sets, are available from stock. The mailers are made of 75 g/m<sup>2</sup> white offset paper with FSC® certification (FSC® MIX category) and feature a printed label on the back of the mailer indicating the certification.

# White bubble mailers *SuperPAK extra*<sup>®</sup>

shrink-wrapped in packs of 10 pcs.



Stock available immediately in quantities of 1 pallet per format. For larger quantities, lead time is up to 10 business days.



index: 77030097/10  
**format: A/11** foiled in packs of 10.  
internal dimensions: 100x165 mm  
external dimensions: 120x175 mm  
boxed: 10 packs  
palletized: 500 packs  
(5,000 envelopes) (h: 1.10 m)  
package model number: spe-a11\_p10  
package EAN-13: 5905379008754



index: 77130097/10  
**format: B/12**, laminated in packs of 10.  
internal dimensions: 120x215 mm  
external dimensions: 140x225 mm  
boxed: 10 packs  
palletized: 500 packs  
(5,000 envelopes) (h: 1.30 m)  
package model number: spe-b12\_p10  
package EAN-13: 5905379008761



index: 77230097/10  
**format: C/13** laminated in packs of 10  
internal dimensions: 150x215 mm  
external dimensions: 170x225 mm  
boxed: 10 packs  
palletized: 480 packs  
(4,800 envelopes) (h: 1.60 m)  
package model number: spe-c13\_p10  
package EAN-13: 5905379008778



index: 77330097/10  
**format: D/14** laminated in packs of 10  
internal dimensions: 180x265 mm  
external dimensions: 200x275 mm  
boxed: 10 packs  
palletized: 400 packs  
(4,000 envelopes) (h: 1.60 m)  
package model number: spe-d14\_p10  
package EAN-13: 5905379008785



index: 77430097/10  
**format: E/15**, laminated in packs of 10.  
internal dimensions: 220x265 mm  
external dimensions: 240x275 mm  
boxed: 10 packs  
palletized: 300 packs  
(3,000 envelopes) (h: 1.60 m)  
package model number: spe-e15\_p10  
package EAN-13: 5905379008792



index: 77530097/10  
**format: F/16** laminated in packs of 10  
internal dimensions: 220x340 mm  
external dimensions: 240x350 mm  
boxed: 10 packs  
palletized: 240 packs  
(2,400 envelopes) (h: 1.60 m)  
package model number: spe-f16\_p10  
package EAN-13: 5905379008808



index: 77630097/10  
**format: G/17** laminated in packs of 10  
internal dimensions: 230x340 mm  
external dimensions: 250x350 mm  
boxed: 10 packs  
palletized: 240 packs  
(2,400 envelopes) (h: 1.60 m)  
package model number: spe-g17\_p10  
package EAN-13: 5905379008815



index: 77730097/10  
**format: H/18** laminated in packs of 10  
internal dimensions: 270x360 mm  
external dimensions: 290x370 mm  
boxed: 10 packs  
palletized: 200 packs  
(2,000 envelopes) (h: 1.65 m)  
package model number: spe-h18\_p10  
package EAN-13: 5905379008822



index: 77830097/10  
**format: I/19**, laminated in packs of 10  
internal dimensions: 300x445 mm  
external dimensions: 320x455 mm  
boxed: 5 packs  
palletized: 120 packs  
(1,200 envelopes) (h: 1.50 m)  
package model number: spe-i19\_p10  
package EAN-13: 5905379008839



index: 77930097/10  
**format: K/20**, laminated in packs of 10.  
internal dimensions: 350x470 mm  
external dimensions: 370x480 mm  
boxed: 5 packs  
palletized: 120 packs  
(1,200 envelopes) (h: 1.70 m)  
package model number: spe-k20\_p10  
package EAN-13: 5905379008846



index: 78030097/10  
**format: CD/21** laminated in packs of 10  
internal dimensions: 180x165 mm  
external dimensions: 200x175 mm  
boxed: 10 packs  
palletized: 500 packs  
(5,000 envelopes) (h: 1.60 m)  
package model number: spe-cd\_p10  
package EAN-13: 5905379008853

Sales unit – cartons.  
Prices negotiable depending on  
order volume.

## MAILERS IN PACKS – SPECIFICATION:

Each pack contains 10 mailers shrink-wrapped in plastic film. The print on the mailers is visible only from one side of the pack. A label is affixed in the bottom-right corner of the pack.

The label includes all the necessary information for retail sale of a single pack in a store:  
EAN-13 barcode of the pack,  
Product MODEL NO. – a simplified name to facilitate product identification.  
Additionally, the label provides internal and external dimensions of the mailers in Polish, German, and English.



# Brown bubble mailers – with hang holes


## SuperPAK gold®

Goods available from stock – starting from 1 carton

mailer:



in carton:



„Open here”



Brown bubble mailers with hang holes for security seals, featuring a multilingual “OPEN HERE” instruction printed beneath the HK sealing flap, along with an EAN-13 barcode.

This series of air-cushioned mailers (with bubble film lining) is available in 11 standard formats, made from 75 g/m<sup>2</sup> brown kraft paper.

Commonly used for courier shipments, these mailers offer reliable protection and durability. Thanks to modern production technology, the paper and film layers can be easily separated after use, enabling quick and eco-friendly waste sorting!



The mark of responsible forestry  
FSC® C134989

SuperPAK Gold bubble mailers are available from stock and made of 75 g/m<sup>2</sup> brown kraft paper with FSC® certification (FSC® MIX category). Each mailer features a printed label on the back indicating the certification, emphasizing both product quality and environmental responsibility.

# Brown bubble mailers – with hang holes

## SuperPAK gold<sup>®</sup>



Goods available from stock – starting from 1 carton



index: **77033027**

**format: A/11**

internal dimensions: 100x165 mm  
external dimensions: 120x175 mm  
boxed: 200 pcs.  
palletized: 12,000 pcs.  
total pallet height: 1.98 m



index: **77133027**

**format: B/12**

inner dimensions: 120x215 mm  
outer dimensions: 140x225 mm  
boxed: 200 pcs.  
palletized: 7200 pcs.  
total pallet height: 1.87 m



index: **77233027**

**format: C/13**

inner dimensions: 150x215 mm  
outer dimensions: 225x170 mm  
boxed: 100 pcs.  
palletized: 6400 pcs.  
total pallet height: 2.01 m



index: **77333027**

**format: D/14**

inner dimensions: 180x265 mm  
outer dimensions: 200x275 mm  
boxed: 100 pcs.  
palletized: 4800 pcs.  
total pallet height: 1.84 m



index: **77433027**

**format: E/15**

inner dimensions: 220x265 mm  
outer dimensions: 240x275 mm  
boxed: 100 pcs.  
palletized: 3600 pcs.  
total pallet height: 1.84 m



index: **77533027**

**format: F/16**

inner dimensions: 220x340 mm  
outer dimensions: 240x350 mm  
boxed: 100 pcs.  
palletized: 3000 pcs.  
total pallet height: 1.93 m



index: **77633027**

**format: G/17**

inner dimensions: 230x340 mm  
outer dimensions: 250x350 mm  
boxed: 100 pcs.  
palletized: 3000 pcs.  
total pallet height: 1.93 m



index: **77733027**

**format: H/18**

inner dimensions: 270x360 mm  
outer dimensions: 290x370 mm  
boxed: 100 pcs.  
palletized: 2,400 pcs.  
total pallet height: 1.90 m



index: **77833027**

**format: I/19**

inner dimensions: 300x445 mm  
outer dimensions: 320x455 mm  
boxed: 50 pcs.  
palletized: 1500 pcs.  
total pallet height: 1.81 m



index: **77933027**

**format: K/20**

inner dimensions: 350x470 mm  
outer dimensions: 370x480 mm  
boxed: 50 pcs.  
palletized: 1500 pcs.  
total pallet height: 2.06 m



index: **78033027**

**format: CD/21**

inner dimensions: 180x165 mm  
outer dimensions: 200x175 mm  
boxed: 100 pcs.  
palletized: 8000 pcs.  
total pallet height: 1.98 m



# White bubble mailers – with hang holes

## SuperPAK classic®

Goods available from stock – starting from 1 carton


mailer:



in carton:



paper: white kraft



EAN barcode as standard



„Open here”



White bubble mailers with security seal holes, featuring SuperPAK branding, format marking, and an EAN-13 barcode.

This series includes air-cushioned mailers (with bubble film lining) available in 11 standard formats. Made of 75 g/m<sup>2</sup> white kraft paper, they offer excellent protection during transport.

Commonly used for courier shipments. Thanks to advanced production technology, the paper and film layers can be easily separated after use, enabling fast and efficient waste sorting.



The mark of responsible forestry  
FSC® C134989

SuperPAK Classic bubble mailers are available from stock and made of 75 g/m<sup>2</sup> white kraft paper with FSC® certification (FSC® MIX category). Each mailer features a printed label on the back indicating its certified origin, combining sustainability with high-quality packaging performance.

# White bubble mailers – with hang holes

## SuperPAK classic®



Goods available from stock – starting from 1 carton



index: **77030017**  
**format: A/11**  
 internal dimensions: 100x165 mm  
 external dimensions: 120x175 mm  
 boxed: 200 pcs.  
 palletized: 12,000 pcs.  
 total pallet height: 1.98 m



index: **77130017**  
**format: B/12**  
 inner dimensions: 120x215 mm  
 outer dimensions: 140x225 mm  
 boxed: 200 pcs.  
 palletized: 7200 pcs.  
 total pallet height: 1.87 m



index: **77230017**  
**format: C/13**  
 inner dimensions: 150x215 mm  
 outer dimensions: 170x225 mm  
 boxed: 100 pcs.  
 palletized: 6400 pcs.  
 total pallet height: 2.01 m



index: **77330017**  
**format: D/14**  
 inner dimensions: 180x265 mm  
 outer dimensions: 200x275 mm  
 boxed: 100 pcs.  
 palletized: 4800 pcs.  
 total pallet height: 1.84 m



index: **77430017**  
**format: E/15**  
 inner dimensions: 220x265 mm  
 outer dimensions: 240x275 mm  
 boxed: 100 pcs.  
 palletized: 3600 pcs.  
 total pallet height: 1.84 m



index: **77530017**  
**format: F/16**  
 inner dimensions: 220x340 mm  
 outer dimensions: 240x350 mm  
 boxed: 100 pcs.  
 palletized: 3000 pcs.  
 total pallet height: 1.93 m



index: **77630017**  
**format: G/17**  
 inner dimensions: 230x340 mm  
 outer dimensions: 250x350 mm  
 boxed: 100 pcs.  
 palletized: 3000 pcs.  
 total pallet height: 1.93 m



index: **77730017**  
**format: H/18**  
 inner dimensions: 270x360 mm  
 outer dimensions: 290x370 mm  
 boxed: 100 pcs.  
 palletized: 2,400 pcs.  
 total pallet height: 1.90 m



index: **77830017**  
**format: I/19**  
 inner dimensions: 300x445 mm  
 outer dimensions: 320x455 mm  
 boxed: 50 pcs.  
 palletized: 1500 pcs.  
 total pallet height: 1.81 m




index: **77930017**  
**format: K/20**  
 inner dimensions: 350x470 mm  
 outer dimensions: 370x480 mm  
 boxed: 50 pcs.  
 palletized: 1500 pcs.  
 total pallet height: 2.06 m





index: **78030017**  
**format: CD/21**  
 inner dimensions: 180x165 mm  
 outer dimensions: 200x175 mm  
 boxed: 100 pcs.  
 palletized: 8000 pcs.  
 total pallet height: 1.98 m

Goods available from stock – starting from 1 carton



RBD Expandable Mailers - user-friendly packaging with a self-adhesive HK closure, available in brown or white paper. In-stock for immediate delivery in two paper colors and three standard formats.

Expandable mailers with a square bottom, ideal for sending reams of documents, bulky shipments, or clothing. Widely used in e-commerce, as well as for shipping and storing documents and contracts. (Also available with custom printing, in various formats and printing technologies – see pages 26–27.)



Goods available from stock – starting from 1 carton



index: **41630050**  
**format: C4 RBD**  
dimensions: 229 x 324 x 38 mm  
120 g/m<sup>2</sup> white paper  
boxed: 250 pcs.  
palletized: 7,000 pcs.  
total pallet height: 1.70 m



index: **41730052**  
**format: B4 RBD**  
dimensions: 250x353x38 mm  
120 g/m<sup>2</sup> white paper  
boxed: 250 pcs.  
palletized: 6000 pcs.  
total pallet height: 1.70 m



index: **41830057**  
**format: E4 RBD**  
dimensions: 280x400x40 mm  
150 g/m<sup>2</sup> white paper  
boxed: 250 pcs.  
palletized: 4500 pcs.  
total pallet height: 1.70 m



index: **41633050**  
**format: C4 RBD**  
dimensions: 229 x 324 x 38 mm  
120 g/m<sup>2</sup> brown paper  
boxed: 250 pcs.  
palletized: 7,000 pcs.  
total pallet height: 1.70 m



index: **41733050**  
**format: B4 RBD**  
dimensions: 250 x 353 x 38 mm  
120 g/m<sup>2</sup> brown paper  
boxed: 250 pcs.  
palletized: 6000 pcs.  
total pallet height: 1.70 m



index: **41833070**  
**format: E4 RBD**  
dimensions: 280x400x40 mm  
150 g/m<sup>2</sup> brown paper  
boxed: 250 pcs.  
palletized: 4500 pcs.  
total pallet height: 1.70 m

# D/14 bubble mailers with window - without print

Goods available from stock – starting from 1 carton


mailer:



in carton:



paper: white kraft



**Index: 77330017**

**Format: D/14**

internal dimensions: 180x265 mm

external dimensions: 200x275 mm

boxed: 100 pcs

palletized: 5600 pcs

right window 90x55mm (65x40mm),  
[explanation: right window 90mm high and  
55mm wide, with a spacing of 65mm from  
the right x 40mm from the bottom].


minimum order: 1 box

White bubble envelopes - white kraft paper with a window.

Straight flap with HK strip.

D/14 made of 75 gsm white kraft paper (C/13 and G/17 sizes available upon request).

The front of the envelopes has visible window sealing bar impressions - this is standard for this type of envelope. It is not possible to eliminate the impression.




**BUBBLE MAILERS**

**WITH OR WITHOUT PRINT**



**ON ORDER**



**PACKAIR**



without print:

with print on a ready-made envelope  
2000-5000 pcs.

with FLEXP print  
from 5,000 pcs.

with CMYK OFFSET printing  
from 30,000 pcs.



White bubble envelopes, with or without print, are available in four flap options.

These air-sealed envelopes (with a bubble wrap insert) are available in 11 standard sizes. They are made of 75 gsm white offset paper.

They are used as mailing envelopes. Thanks to new production technology, the paper and foil portions can be easily separated after use, allowing for quick waste sorting! Also available with or without a customer print.



### PRINTING:

FLEXP printing from 1 to 6 colors, including APLA printing (full-surface). Custom printing prices apply. We print from completed designs, ready-made PDF files, and the client's provided descriptions and logos.

### PACKAGING

Envelopes are packed in boxes of 200 to 50, depending on the size. The minimum quantity for custom-made products is 5,000 pieces or one full pallet.

### Customer printing possible using the following methods:

#### In-line printing:



**INK-JET printing** (single-sided printing, simple description, and EAN 13)  
- minimum order: 5,000 pieces or 1 pallet  
- delivery time: 10-15 business days  
- black printing

#### Printing on the finished mailer:



**DIGITAL printing** (on a pre-made envelope - unlimited colors - CMYK colors, registered printing)  
- priority is given to producing plain envelopes;  
- printing for quantities of 2,000 ~ 5,000 pieces,  
- single-sided or double-sided printing.

#### Roll to roll printing:



**FLEXP printing 1-6 colors** (including APLA) SINGLE-SIDED and DOUBLE-SIDED!  
- Minimum order: 5,000 pieces  
- Lead time: 10-20 business days  
- PANTONE colors



**CMYK OFFSET printing** (~up to 90% opacity) SINGLE-SIDED and DOUBLE-SIDED\*!  
- Minimum order: 5,000\* pieces  
- Lead time: 20-25 business days  
- CMYK colors  
- CMYK format sizes differ from standard formats  
- CMYK offset for sizes: A11 - E15 + CD/21

### It is possible to order envelopes with a certificate:



The mark of responsible forestry  
FSC® C134989

#### Ask about FSC® certified products

You can order FSC®-certified bubble envelopes with an FSC® product label printed on the front or back of the envelope. The FSC® MIX category is available for 75g/m<sup>2</sup> white offset paper. It is also possible to produce envelopes with a label bearing the FSC® license code C134989 assigned to Packair Sp. z o.o., or with the FSC® license code of the end customer, or with the FSC® license code of the intermediary.



# White offset bubble envelopes,

- made to order, with or without printing - for quantities of 5,000 or more



Delivery time approximately up to 20 business days.



**75g white offset paper  
Format: A/11**

inner dimensions: 100x165 mm  
outer dimensions: 120x175 mm  
boxed: 200 pcs  
palletized: 8,400 pcs  
pallet height: 1.47 m  
or

number of standard pallets: 12,400 pcs  
pallet height: 2.16 m

**CMYK offset printing available**  
inner dimensions: 101.92x165 mm  
outer dimensions: 121.92x175 mm



**75g white offset paper  
format: B/12**

inner size: 120 x 215 mm  
outer size: 140 x 225 mm  
boxed: 200 pcs  
palletized: 4,800 pcs  
pallet height: 1.32 m  
or

quantity per standard pallet: 8,400 pcs  
pallet height: 2.19 m

**CMYK offset printing available**  
inner size: 123.76 x 215 mm  
outer size: 143.76 x 225 mm



**75g white offset paper  
format: C/13**

inner size: 150 x 215 mm  
outer size: 170 x 225 mm  
boxed: 100 pcs  
palletized: 4,400 pcs  
pallet height: 1.46 m  
or

quantity per standard pallet: 6,800 pcs  
pallet height: 2.18 m

**CMYK offset printing available**  
inner size: 145.10 x 215 mm  
outer size: 165.10 x 225 mm



**75g white offset paper  
format: D/14**

inner size: 180 x 265 mm  
outer size: 200 x 275 mm  
boxed: 100 pcs  
palletized: 2,800 pcs  
pallet height: 1.30 m  
or

quantity per standard pallet: 5,600 pcs  
pallet height: 2.16 m

**CMYK offset printing available**  
Inner size: 177.53 x 265 mm  
Outer size: 197.53 x 275 mm



**75g white offset paper  
format: E/15**

Inner size: 220 x 265 mm  
outer size: 240 x 275 mm  
boxed: 100 pcs  
palletized: 2,400 pcs  
pallet height: 1.35 m  
or

quantity per standard pallet: 4,000 pcs  
pallet height: 2.19 m

**CMYK offset printing available**  
inner size: 200.13 x 265 mm  
outer size: 220.13 x 275 mm



**75g white offset paper  
format: F/16**

inner dimensions: 220x340 mm  
outer dimensions: 240x350 mm  
boxed: 100 pcs  
palletized: 2,000 pcs  
pallet height: 1.41 m  
or

quantity per standard pallet: 3,200 pcs  
pallet height: 2.16 m



**75g white offset paper  
format: G/17**

inner dimensions: 230x340 mm  
outer dimensions: 250x350 mm  
boxed: 100 pcs  
palletized: 2,000 pcs  
pallet height: 1.47 m  
or

quantity per standard pallet: 3,200 pcs  
pallet height: 2.16 m



**75g white offset paper  
format: H/18**

inner dimensions: 270x360 mm  
outer dimensions: 290x370 mm  
boxed: 100 pcs  
palletized: 1,600 pcs  
pallet height: 1.36 m  
or

quantity per standard pallet: 2,400 pcs  
pallet height: 1.96 m



**75g white offset paper  
format: I/19**

inner dimensions: 300x445 mm  
outer dimensions: 320x455 mm  
boxed: 50 pcs  
palletized: 1,200 pcs  
pallet height: 1.48 m  
or

quantity per standard pallet: 1,800 pcs  
pallet height: 2.14 m



**75g white offset paper  
format: K/20**

inner dimensions: 350x470 mm  
outer dimensions: 370x480 mm  
boxed: 50 pcs  
palletized: 1,200 pcs  
pallet height: 1.31 m  
or


quantity per standard pallet: 1,500 pcs  
pallet height: 2.08 m



**75g white offset paper  
format: CD/21**

inner size: 180 x 165 mm  
outer size: 200 x 175 mm  
boxed: 100 pcs  
palletized: 4,800 pcs  
pallet height: 1.46 m  
or

quantity per standard pallet: 8,400 pcs  
pallet height: 2.08 m



**Custom size:  
made to order**

for other envelope widths, minimum order:  
5,000 pieces  
for other envelope heights, minimum  
order: 10,000 pieces and larger  
please provide: inner or outer envelope  
size [mm], order quantity, and print file

Flap variants to choose from are available for each type and size of mailer:


<p>Straight flap - standard PL only HK strap p. 30 or trapezoidal flap - standard p. 31</p> <p>[Available with or without holes in the flap]</p>	<p>With control strip and trapeze flap - Europe standard, with HK strip p.32</p> <p>[Available with or without holes in the flap]</p>	<p>Courier flap - with Easy Open strap (with 1 HK strap and 1 red string) p.33</p> <p>[Available without holes in the flap]</p>	<p>E-commerce flap - returnable (HK strap, red string, HK strap) p. 34</p> <p>[Available without holes in the flap]</p>
<p>✓</p>	<p>✓</p>	<p>✓</p>	<p>✓</p>

**CMYK offset printing available**  
inner size: 177.53 x 165 mm  
outer size: 197.53 x 175 mm

without printing:



with printing:



**Customer printing possible using the following methods:**

**In-line printing:**



**INK-JET printing** (single-sided printing, simple description, and EAN 13)  
 - minimum order: 5,000 pieces or 1 pallet  
 - delivery time: 10-15 business days  
 - black printing

**Roll to roll printing:**



**FLEXO printing 1-6 colors** (including APLA) SINGLE-SIDED and DOUBLE-SIDED!  
 - Minimum order 5,000 pieces  
 - Lead time 10-20 business days  
 - PANTONE colors (including PANTONE white!)

**It is possible to order envelopes with a certificate:**



The mark of responsible forestry  
 FSC® C134989

**Ask about FSC® certified products**

You can order FSC®-certified bubble envelopes with an FSC® product label printed on the front or back of the envelope. The FSC® MIX category is available for 75g/m<sup>2</sup> brown kraft paper. It is also possible to produce envelopes with a label bearing the FSC® license code C134989 assigned to Packair Sp. z o.o., or with the end customer's FSC® license code, or with the intermediary's FSC® license code.

Brown bubble envelopes with or without print. Made of kraft paper. Available with 4 flap closure styles.

This series of air-sealed envelopes (bubble foil insert) is available in 11 standard sizes, made of brown kraft paper, weighing 75 g/m<sup>2</sup>.

Used as courier envelopes. Thanks to new production technology, the paper and foil portions can be easily separated after use, allowing for quick waste sorting! Also available with or without customer print.



**PRINTING:**

FLEXO printing from 1 to 6 colors, including APLA printing (full-surface). Printing prices are determined individually. Prints are created from pre-printed PDF designs and the client's provided descriptions and logos.

**PACKAGING**

Envelopes are packed in boxes of 200 to 50, depending on the size. The minimum quantity for custom-made products is 5,000 pieces or one full pallet.

# Brown kraft bubble mailers

- made to order, with or without print - for quantities of 5,000 or more



Delivery time approximately up to 20 business days.



**brown kraft paper 75g**  
**format: A/11**  
 internal dimensions: 100x165 mm  
 external dimensions: 120x175 mm  
 boxed: 200 pcs.  
 quantity per double pallet: 8,400 pcs.  
 pallet height: 1.47 m  
 or  
 number of standard pallets: 12,400 pcs.  
 pallet height: 2.16 m



**brown kraft paper 75g**  
**format: B/12**  
 inner dimensions: 120x215 mm  
 outer dimensions: 140x225 mm  
 boxed: 200 pcs.  
 quantity per double pallet: 4,800 pcs.  
 pallet height: 1.32 m  
 or  
 quantity per standard pallet: 8,400 pcs.  
 pallet height: 2.19 m



**brown kraft paper 75g**  
**format: C/13**  
 inner dimensions: 150x215 mm  
 outer dimensions: 225x170 mm  
 boxed: 100 pcs  
 palletized: 4,400 pcs  
 pallet height: 1.46 m  
 or  
 quantity per standard pallet: 6,800 pcs  
 pallet height: 2.18 m



**brown kraft paper 75g**  
**format: D/14**  
 inner dimensions: 180x265 mm  
 outer dimensions: 200x275 mm  
 boxed: 100 pcs  
 palletized: 2,800 pcs  
 pallet height: 1.30 m  
 or  
 quantity per standard pallet: 5,600 pcs  
 pallet height: 2.16 m



**brown kraft paper 75g**  
**format: E/15**  
 inner dimensions: 220x265 mm  
 outer dimensions: 240x275 mm  
 boxed: 100 pcs  
 palletized: 2,400 pcs  
 pallet height: 1.35 m  
 or  
 quantity per standard pallet: 4,000 pcs  
 pallet height: 2.19 m



**brown kraft paper 75g**  
**format: F/16**  
 inner dimensions: 220x340 mm  
 outer dimensions: 240x350 mm  
 boxed: 100 pcs  
 palletized: 2,000 pcs  
 pallet height: 1.41 m  
 or  
 quantity per standard pallet: 3,200 pcs  
 pallet height: 2.16 m



**brown kraft paper 75g**  
**format: G/17**  
 inner dimensions: 230x340 mm  
 outer dimensions: 250x350 mm  
 boxed: 100 pcs  
 palletized: 2,000 pcs  
 pallet height: 1.47 m  
 or  
 quantity per standard pallet: 3,200 pcs  
 pallet height: 2.16 m



**brown kraft paper 75g**  
**format: H/18**  
 inner dimensions: 270x360 mm  
 outer dimensions: 290x370 mm  
 boxed: 100 pcs  
 palletized: 1,600 pcs  
 pallet height: 1.36 m  
 or  
 quantity per standard pallet: 2,400 pcs  
 pallet height: 1.96 m



**brown kraft paper 75g**  
**format: I/19**  
 inner dimensions: 300x445 mm  
 outer dimensions: 320x455 mm  
 boxed: 50 pcs  
 palletized: 1,200 pcs  
 pallet height: 1.48 m  
 or  
 quantity per standard pallet: 1,800 pcs  
 pallet height: 2.14 m




**brown kraft paper 75g**  
**format: K/20**  
 inner dimensions: 350x470 mm  
 outer dimensions: 370x480 mm  
 boxed: 50 pcs  
 palletized: 1,200 pcs  
 pallet height: 1.31 m  
 or  
 quantity per standard pallet: 1,500 pcs  
 pallet height: 2.08 m



**brown kraft paper 75g**  
**format: CD/21**  
 inner dimensions: 180x165 mm  
 outer dimensions: 200x175 mm  
 boxed: 100 pcs.  
 palletized: 4,800 pcs.  
 pallet height: 1.46 m  
 or  
 quantity per standard pallet: 8,400 pcs.  
 pallet height: 2.08 m

+



**Custom size:**  
**made to order**  
 for other envelope widths, minimum order: 5,000 pieces  
 for other envelope heights, minimum order: 10,000 pieces and larger  
 please provide: inner or outer envelope size [mm], order quantity, and print file


## Flap variants to choose from are available for each type and size of mailer:

Straight flap - standard PL only HK strap p. 30 or trapezoidal flap - standard p. 31  <i>[Available with or without holes in the flap]</i>	With control strip and trapeze flap - Europe standard, with HK strip p.32  <i>[Available with or without holes in the flap]</i>	Courier flap - with Easy Open strap (with 1 HK strap and 1 red string) p.33  <i>[Available without holes in the flap]</i>	E-commerce flap - returnable (HK strap, red string, HK strap) p. 34  <i>[Available without holes in the flap]</i>
✓	✓	✓	✓

without printing:



with print:



**Customer printing possible using the following methods:**

**In-line printing:**



**INK-JET printing** (single-sided printing, simple description, and EAN 13)  
 - minimum order: 5,000 pieces or 1 pallet  
 - delivery time: 10-15 business days  
 - black printing

**Roll to roll printing:**



**FLEXPANTONE printing** 1-6 colors (including APLA) SINGLE-SIDED and DOUBLE-SIDED!  
 - Minimum order: 5,000 pieces  
 - Lead time: 10-20 business days  
 - PANTONE colors

**It is possible to order envelopes with a certificate:**



The mark of responsible forestry  
 FSC® C134989

**Ask about FSC® certified products**

You can order FSC®-certified bubble envelopes with an FSC® product label printed on the front or back of the envelope. The FSC® MIX category is available for 75g/m<sup>2</sup> white kraft paper. It is also possible to produce envelopes with a label bearing the FSC® license code C134989 assigned to Packair Sp. z o.o., or with the FSC® license code of the end customer, or with the FSC® license code of the intermediary.

White bubble envelopes made of kraft paper. You can choose from four types of flaps.

This series of air-sealed envelopes (bubble wrap insert) is available in 11 standard sizes. The envelopes are made of 75 g/m<sup>2</sup> white kraft paper.

Used as courier envelopes. Thanks to new production technology, the paper and foil portions can be easily separated after use, allowing for quick waste sorting! Also available with or without customer printing.



**PRINTING:**

FLEXPANTONE printing from 1 to 6 colors, including APLA printing (full-surface). Printing prices are determined individually. Prints are created from pre-printed PDF designs and the client's provided descriptions and logos.

**PACKAGING AND MINIMUM ORDER:**

Envelopes are packed in boxes of 200 to 500 pieces, depending on the size. The minimum quantity for custom-made products is 5,000 pieces or one full pallet.



# White kraft bubble mailers,

- made to order, with or without print - for quantities of 5,000 pieces or more



Delivery time approximately up to 20 business days.



**white kraft paper 75g  
format: A/11**

internal dimensions: 100x165 mm  
external dimensions: 120x175 mm  
boxed: 200 pcs.  
palletized: 8,400 pcs.  
pallet height: 1.47 m  
or

number of standard pallets: 12,400 pcs.  
pallet height: 2.16 m



**white kraft paper 75g  
format: B/12**

inner dimensions: 120x215 mm  
outer dimensions: 140x225 mm  
boxed: 200 pcs.  
palletized: 4,800 pcs.  
pallet height: 1.32 m  
or

quantity per standard pallet: 8,400 pcs.  
pallet height: 2.19 m



**white kraft paper 75g  
format: C/13**

inner dimensions: 150x215 mm  
outer dimensions: 170x225 mm  
boxed: 100 pcs  
palletized: 4,400 pcs  
pallet height: 1.46 m  
or

quantity per standard pallet: 6,800 pcs  
pallet height: 2.18 m



**white kraft paper 75g  
format: D/14**

inner dimensions: 180x265 mm  
outer dimensions: 200x275 mm  
boxed: 100 pcs  
palletized: 2,800 pcs  
pallet height: 1.30 m  
or

quantity per standard pallet: 5,600 pcs  
pallet height: 2.16 m



**white kraft paper 75g  
format: E/15**

inner dimensions: 220x265 mm  
outer dimensions: 240x275 mm  
boxed: 100 pcs  
palletized: 2,400 pcs  
pallet height: 1.35 m  
or

quantity per standard pallet: 4,000 pcs  
pallet height: 2.19 m



**white kraft paper 75g  
format: F/16**

inner dimensions: 220x340 mm  
outer dimensions: 240x350 mm  
boxed: 100 pcs  
quantity per double pallet: 2,000 pcs  
pallet height: 1.41 m  
or

quantity per standard pallet: 3,200 pcs  
pallet height: 2.16 m



**white kraft paper 75g  
format: G/17**

inner dimensions: 230x340 mm  
outer dimensions: 250x350 mm  
boxed: 100 pcs  
palletized: 2,000 pcs  
pallet height: 1.47 m  
or

quantity per standard pallet: 3,200 pcs  
pallet height: 2.16 m



**white kraft paper 75g  
format: H/18**

inner dimensions: 270x360 mm  
outer dimensions: 290x370 mm  
boxed: 100 pcs  
palletized: 1,600 pcs  
pallet height: 1.36 m  
or

quantity per standard pallet: 2,400 pcs  
pallet height: 1.96 m



**white kraft paper 75g  
format: I/19**

inner dimensions: 300x445 mm  
outer dimensions: 320x455 mm  
boxed: 50 pcs  
palletized: 1,200 pcs  
pallet height: 1.48 m  
or

quantity per standard pallet: 1,800 pcs  
pallet height: 2.14 m



**white kraft paper 75g  
format: K/20**

inner dimensions: 350x470 mm  
outer dimensions: 370x480 mm  
quantity per box: 50 pcs  
palletized: 1,200 pcs  
pallet height: 1.31 m  
or

quantity per standard pallet: 1,500 pcs  
pallet height: 2.08 m




**white kraft paper 75g  
format: CD/21**

inner dimensions: 180x165 mm  
outer dimensions: 200x175 mm  
boxed: 100 pcs.  
palletized: 4,800 pcs.  
pallet height: 1.46 m  
or

quantity per standard pallet: 8,400 pcs.  
pallet height: 2.08 m

+



**Custom size:  
made to order**

for other envelope widths, minimum order quantity: 5,000 pcs.  
for other envelope heights, minimum order quantity: 10,000 pcs. and larger  
please provide: inner or outer envelope size [mm], order quantity, and print file

Flap variants to choose from are available for each type and size of mailer:

Straight flap - standard PL only HK strap p. 30 or trapezoidal flap - standard p. 31  <i>[Available with or without holes in the flap]</i>	With control strip and trapeze flap - Europe standard, with HK strip p.32  <i>[Available with or without holes in the flap]</i>	Courier flap - with Easy Open strap (with 1 HK strap and 1 red string) p.33  <i>[Available without holes in the flap]</i>	E-commerce flap - returnable (HK strap, red string, HK strap) p. 34  <i>[Available without holes in the flap]</i>
✓	✓	✓	✓


without print:



with print on the front (and flap):



or with a print on the back:



White bubble envelopes - white kraft paper with a window. Two types of closing flaps are available. Available with or without custom printing.

This series of air-sealed envelopes (bubble foil insert) is available in three standard sizes - C/13, D/14, and G/17. The envelopes are made of 75 gsm white kraft paper.

Used as courier envelopes. Thanks to new production technology, the paper and foil portions can be easily separated after use, allowing for quick waste sorting!

The window sealing bar imprints are visible on the front of the envelopes - this is standard for this type of envelope. Due to technological reasons, eliminating the imprint is impossible.



**Customer printing possible using the following methods:**

**In-line printing:**



**INK-JET printing** (single-sided printing, simple description, and EAN 13)  
 - minimum order: 5,000 pieces or 1 pallet  
 - delivery time: 10-15 business days  
 - black printing

**Roll to roll printing:**



**FLEXO printing 1-6 colors** (including APLA) SINGLE-SIDED and DOUBLE-SIDED!  
 - Minimum order: 5 pallets  
 - Lead time: 10-20 business days  
 - PANTONE colors

**It is possible to order envelopes with a certificate:**



The mark of responsible forestry  
 FSC® C134989

**Ask about FSC® certified products**

You can order FSC®-certified bubble envelopes with an FSC® product label printed on the front or back of the envelope. The FSC® MIX category is available for white and brown kraft paper 75g/m². It is also possible to produce envelopes with a label bearing the FSC® license code C134989 assigned to Packair Sp. z o.o., or with the FSC® license code of the end customer, or with the FSC® license code of the intermediary.

# Bubble mailers WITH WINDOW,

- made to order, with or without print - for quantities of 5,000 pieces or more



Delivery time approximately up to 20 business days.



**Format: C/13 with window**  
with print on the FRONT  
75g white KRAFT paper  
internal dimensions: 150x215 mm  
external dimensions: 170x225 mm  
C/13 right window 90x55 mm (50x40 mm)  
boxed: 100 pcs  
palletized: 4,400 pcs  
pallet height: 1.46 m  
or  
quantity per standard pallet: 6,800 pcs  
pallet height: 2.18 m



**Format: C/13 with window**  
with print on the back  
75g white KRAFT paper  
inner dimensions: 150x215 mm  
outer dimensions: 170x225 mm  
C/13 right window 90x55 mm (50x40 mm)  
boxed: 100 pcs  
palletized: 4,400 pcs  
pallet height: 1.46 m  
or  
quantity per standard pallet: 6,800 pcs  
pallet height: 2.18 m



**Format: D/14 with window**  
with print on the FRONT  
75g white KRAFT paper  
internal dimensions: 180x265 mm  
external dimensions: 200x275 mm  
D/14 right window 90x55 mm (65x40 mm)  
boxed: 100 pcs  
palletized: 2,800 pcs  
pallet height: 1.30 m  
or  
quantity per standard pallet: 5,600 pcs  
pallet height: 2.16 m




**Format: D/14 with window**  
with print on the back  
75g white KRAFT paper  
internal dimensions: 180x265 mm  
external dimensions: 200x275 mm  
D/14 right window 90x55 mm (65x40 mm)  
boxed: 100 pcs  
palletized: 2,800 pcs  
pallet height: 1.30 m  
or  
quantity per standard pallet: 5,600 pcs  
pallet height: 2.16 m



**Format: G/17**  
with print on the FRONT  
75g white KRAFT paper  
internal dimensions: 230x340 mm  
external dimensions: 250x350 mm  
window G/17 left 55x90 mm (30x220 mm)  
boxed: 100 pcs.  
palletized: 2,000 pcs.  
pallet height: 1.47 m  
or  
quantity per standard pallet: 3,200 pcs.  
pallet height: 2.16 m



**Format: G/17**  
with print on the back  
75g white KRAFT paper  
inner dimensions: 230x340 mm  
outer dimensions: 250x350 mm  
window G/17 left 55x90 mm (30x220 mm)  
boxed: 100 pcs.  
palletized: 2,000 pcs.  
pallet height: 1.47 m  
or  
quantity per standard pallet: 3,200 pcs.  
pallet height: 2.16 m



### Custom window layout and size:

- Minimum order quantity: 100,000 pieces;
- Cost - Custom formats and layouts require the purchase of hardware. A different die and window heaters are required.
- Custom window layout:
  - Minimum distance from the bottom – min. 30 mm (relatively inexpensive)
  - Minimum distance from the top – min. 50 mm (relatively inexpensive)
  - Minimum distance from the left and right – min. 30 mm (all new hardware required, therefore relatively expensive).

### Flap variants to choose from are available for each type and size of mailer:


Straight flap - standard PL only HK strap p. 30 or Trapezoidal flap - stan- dard p. 31	With control strip and trapeze flap - Europe standard, with HK strip p.32	Courier flap - with Easy Open strap (with 1 HK strap and 1 red string) p. 33	E-commerce flap - re- turnable (HK strap, red string, HK strap) p. 34
[Available with or without holes in the flap]	[Available with or without holes in the flap]	[Available without holes in the flap]	[Available without holes in the flap]
✓	✓	✗	✗



without printing:



with print:



**Customer printing possible using the following methods:**

**In-line printing:**



F/16  
220x340 mm  
240x350 mm

**INK-JET printing** (single-sided printing, simple description, and EAN 13)  
- minimum order: 5,000 pieces or 1 pallet  
- delivery time: 10-15 business days  
- black printing

**Roll to roll printing:**



**FLEXO printing 1-6 colors** (including APLA) SINGLE-SIDED and DOUBLE-SIDED!  
- Minimum order: 5 pallets  
- Lead time: 10-20 business days  
- PANTONE colors

XXL bubble envelopes - 75g kraft paper: white or brown. Available with or without custom printing.

The largest standard size available on the market is K/20 (inner dimensions: 35x47 cm, outer dimensions: 37x48 cm), which is insufficient for some of our customers.

For demanding customers, we offer the largest size, XXL/29 bubble envelopes, with outer dimensions of 450x480 mm, inner dimensions of 430x470 mm. Due to their large surface area, these envelopes are made exclusively from durable brown or white kraft paper.

The minimum order for XXL envelopes, with or without custom printing, is 5,000 pieces. Large envelopes are usually packed 50 per box (to maximize pallet capacity).



Intermediate sizes between K/20 and XXL/29  
You order directly from the manufacturer, so you can customize your bubble envelope perfectly to your needs!

Below is a table to help you decide on intermediate sizes from L/22 to R/28, which we offer between the standard K/20 and the most versatile XXL/29. We can also produce these sizes with or without printing, in quantities starting from one pallet. We typically pack these large envelopes 50 per box.

**It is possible to order envelopes with a certificate:**



The mark of responsible forestry  
FSC® C134989

**Ask about FSC® certified products**

You can order FSC®-certified bubble envelopes with an FSC® product label printed on the front or back of the envelope. The FSC® MIX category is available for white and brown kraft paper 75g/m<sup>2</sup>. It is also possible to produce envelopes with a label bearing the FSC® license code C134989 assigned to Packair Sp. z o.o., or with the FSC® license code of the end customer, or with the FSC® license code of the intermediary.

# XXL bubble mailers - white or brown,

- made to order, with or without print - for quantities of 5,000 pieces or more



Delivery time approximately up to 20 business days.



**75g kraft paper: white or brown  
format: K/20**  
internal dimensions: 370x480 mm  
external dimensions: 350x470 mm  
boxed: 200 pcs.  
palletized: 8,400 pcs.  
pallet height: 1.47 m  
or  
number of standard pallets: 12,400 pcs.  
pallet height: 2.16 m

**75g kraft paper: white or brown  
format: L/22**  
inner dimensions: 380 x 480 mm  
outer dimensions: 360 x 470 mm  
boxed: 200 pcs  
palletized: 4,800 pcs  
pallet height: 1.32 m  
or  
quantity per standard pallet: 8,400 pcs  
pallet height: 2.19 m


**75g kraft paper: white or brown  
format: M/23**  
inner dimensions: 390x480 mm  
outer dimensions: 370x470 mm  
boxed: 100 pcs  
palletized: 4,400 pcs  
pallet height: 1.46 m  
or  
quantity per standard pallet: 6,800 pcs  
pallet height: 2.18 m

**75g kraft paper: white or brown  
format: N/24**  
inner dimensions: 400x480 mm  
outer dimensions: 380x470 mm  
boxed: 100 pcs  
palletized: 2,800 pcs  
pallet height: 1.30 m  
or  
quantity per standard pallet: 5,600 pcs  
pallet height: 2.16 m

**75g kraft paper: white or brown-  
format: O/25**  
inner dimensions: 410x480 mm  
outer dimensions: 390x470 mm  
boxed: 100 pcs  
palletized: 2,400 pcs  
pallet height: 1.35 m  
or  
quantity per standard pallet: 4,000 pcs  
pallet height: 2.19 m



+



**75g kraft paper: white or brown  
format: P/26**  
inner dimensions: 420x480 mm  
outer dimensions: 400x470 mm  
boxed: 100 pcs  
palletized: 2,000 pcs  
pallet height: 1.41 m  
or  
quantity per standard pallet: 3,200 pcs  
pallet height: 2.16 m

**75g kraft paper: white or brown  
format: Q/27**  
inner dimensions: 430x480 mm  
outer dimensions: 410x470 mm  
boxed: 100 pcs  
palletized: 2,000 pcs  
pallet height: 1.47 m  
or  
quantity per standard pallet: 3,200 pcs  
pallet height: 2.16 m

**75g kraft paper: white or brown  
format: R/28**  
inner dimensions: 440x480 mm  
outer dimensions: 420x470 mm  
boxed: 100 pcs  
palletized: 1,600 pcs  
pallet height: 1.36 m  
or  
quantity per standard pallet: 2,400 pcs  
pallet height: 1.96 m

**75g kraft paper: white or brown  
format: XXL/29**  
inner dimensions: 450x480 mm  
outer dimensions: 430x470 mm  
boxed: 50 pcs  
palletized: 1,200 pcs  
pallet height: 1.48 m  
or  
quantity per standard pallet: 1,800 pcs  
pallet height: 2.14 m

**Custom size:  
made to order**  
for other envelope widths, minimum order quantity: 5,000 pcs.  
for other envelope heights, minimum order quantity: 10,000 pcs. and larger  
please provide: inner or outer envelope size [mm], order quantity, and print file

## Flap variants to choose from are available for each type and size of mailer:

Straight flap - standard PL only HK strap p. 30 or trapezoidal flap - standard p. 31	With control strip and trapeze flap - Europe standard, with HK strip p.32	Courier flap - with Easy Open strap (with 1 HK strap and 1 red string) p.33	E-commerce flap - returnable (HK strap, red string, HK strap) p. 34
[Available with or without holes in the flap]	[Available with or without holes in the flap]	[Available without holes in the flap]	[Available without holes in the flap]
✓	✓	✓	✓




without printing:



without printing:



with print:



RBD mailers - easy-to-use packaging with HK self-adhesive closures, made of brown or white paper.

Expandable mailers with a square bottom for sending documents in reams and bulky items. Widely used for online shipping and for sending and storing documentation and contracts.

Also available with custom printing, in a variety of formats and printing technologies! With small or full-surface printing. RBD envelopes with a foil address window are available upon request.



**PRINTING:**

Offset PANTONE printing (4 colors) and CMYK (multicolor). Printing prices are determined individually. Prints are created from pre-printed PDF designs and the client's provided descriptions and logos.

**PACKAGING AND MINIMUM ORDER QUANTITIES:**

Cartons. Minimum order without printing: 1 carton. For client prints starting from 1 carton, 5,000 pieces for CMYK DIGITAL.

**Customer printing possible using the following methods:**



**OFFSET printing**  
(sheet - multi-color printing, CMYK colors, registered printing, OFFSET-CMYK printing - bitmap or curved files)  
- single-sided and double-sided printing from 5,000 pcs.



**OFFSET printing**  
(on a sheet - maximum 5 PANTONE colors, registered printing, OFFSET-PANTONE printing - bitmap or curved files)  
- single-sided and double-sided printing from 5,000 pcs.  
\*Only for white offset paper



**DIGITAL printing** (on a pre-made envelope - unlimited colors, CMYK, registered printing)  
- single-sided printing, 1 box - 5,000 pieces, printing only on the front of the envelope, CMYK printing on brown paper differs in color from printing on white paper.

# Expandable RBD envelopes,

- made to order, with or without printing - for quantities of 5,000 pieces or more



format: C4 RBD  
dimensions: 229 x 324 x 38 mm  
120 g/m<sup>2</sup> white paper  
boxed: 250 pcs.  
palletized: 7000 pcs.  
total pallet height: 1.70 m



format: C4 RBD  
dimensions: 229 x 324 x 38 mm  
150 g/m<sup>2</sup> white paper  
boxed: 250 pcs.  
palletized: 7000 pcs.  
total pallet height: 1.70 m



format: B4 RBD  
dimensions: 250 x 353 x 38 mm  
120 g/m<sup>2</sup> white paper  
boxed: 250 pcs.  
palletized: 6000 pcs.  
total pallet height: 1.70 m



format: B4 RBD  
dimensions: 250x353x38 mm  
150 g/m<sup>2</sup> white paper  
boxed: 250 pcs.  
palletized: 6000 pcs.  
total pallet height: 1.70 m



format: E4 RBD  
dimensions: 280x400x40 mm  
150 g/m<sup>2</sup> white paper  
boxed: 250 pcs.  
palletized: 4500 pcs.  
total pallet height: 1.70 m



format: B4 RBD  
dimensions: 250 x 353 x 38 mm  
120 g/m<sup>2</sup> brown paper  
boxed: 250 pcs.  
palletized: 6000 pcs.  
total pallet height: 1.70 m




format: C4 RBD  
dimensions: 229 x 324 x 38 mm  
120 g/m<sup>2</sup> brown paper  
boxed: 250 pcs.  
palletized: 7000 pcs.  
total pallet height: 1.70 m



format: E4 RBD  
dimensions: 280x400x40 mm  
150 g/m<sup>2</sup> brown paper  
boxed: 250 pcs.  
palletized: 4500 pcs.  
total pallet height: 1.70 m

+



### Other sizes available upon request


- standard sizes from 5,000 pieces;
  - custom sizes from 10,000 pieces;
- Enter the format or size in [mm], order quantity, and print file

### Flap variants to choose from are available for each type and size of mailer:

<p>Straight flap - standard PL only HK strap p. 30 or Trapeze flap - standard p. 31</p> <p>[Available with or without eyelets]</p>	<p>With control strip and trapeze flap - Europe standard, with HK strip p.32</p> <p>[Available with or without eyelets]</p>	<p>Courier flap - with Easy Open strap (with 1 HK strap and 1 red string) p.33</p> <p>[Available without holes in the flap]</p>	<p>E-commerce flap - returnable (HK strap, red string, HK strap) p. 34</p> <p>[Available without holes in the flap]</p>
<p>✓</p>	<p>✓</p>	<p>X</p>	<p>X</p>



## TYPES OF CLOSING FLAPS



**PACKAIR**



# Types of closing flaps - straight flap



**1** The packer places the product inside the envelope.




**2** The peel and seal is removed, exposing the adhesive of the closing flap.




**3** The envelope flap is pressed and permanently sealed.



**4** The customer opens the envelope, gaining quick and clean access to the mailers contents.



Paper to choose from:



It is possible to order mailers with a certificate:



The mark of responsible forestry  
FSC® C134989

**Ask about FSC® certified products**  
You can order FSC®-certified bubble envelopes with an FSC® product label printed on the front or back of the envelope. The FSC® MIX category is available for the papers offered by PACKAIR. Envelopes can be produced with a label bearing the FSC® license code C134989 assigned to PACKAIR Sp. z o.o., the FSC® license code of the end customer, or the FSC® license code of an intermediary.

# Types of closing flaps - trapezoidal flap



1

The packer places the product inside the mailer.



2

The adhesive strip is removed, exposing the adhesive of the closing flap.



3



The mailer flap is pressed and permanently sealed.



4

The customer opens the mailer, gaining quick and clean access to the mailer's contents.

Paper to choose from:



It is possible to order mailers with a certificate:



The mark of  
responsible forestry  
FSC® C134989

### Ask about FSC® certified products

You can order FSC®-certified bubble envelopes with an FSC® product label printed on the front or back of the envelope. The FSC® MIX category is available for the papers offered by PACKAIR. Envelopes can be produced with a label bearing the FSC® license code C134989 assigned to PACKAIR Sp. z o.o., the FSC® license code of the end customer, or the FSC® license code of an intermediary.



# Types of closing flaps


## - trapezoidal flap envelope with peel and seal






**1** The packer places the product inside the mailer.



**2** The adhesive strip is removed, exposing the adhesive of the closing flap.



Paper to choose from:



**3** The flap is glued - only on the inspection strip - allowing easy opening by the inspection department without disturbing the closing flap.



**4** The inspection employee opens the envelope, verifies that the contents match the order, and then removes the HK strip, closes the flap, permanently sealing the package for shipment.



**5** The end customer opens the mailer, gaining access to properly secured products.

It is possible to order mailers with a certificate:



The mark of responsible forestry  
FSC® C134989

**Ask about FSC® certified products**  
You can order FSC®-certified bubble envelopes with an FSC® product label printed on the front or back of the envelope. The FSC® MIX category is available for the papers offered by PACKAIR. Envelopes can be produced with a label bearing the FSC® license code C134989 assigned to PACKAIR Sp. z o.o., the FSC® license code of the end customer, or the FSC® license code of an intermediary.

# Types of closing flaps - courier flap with easy open strap




1

The packing operator places the shipment in mailer.



2

The adhesive strip is removed, exposing the adhesive of the closing flap.



3

The packer closes the flap, the glue sticks permanently to the paper, and ships the package.



4



The recipient removes the package. The mailers design allows for recycling, separating the paper from the plastic film.



5

The recipient removes the package. The mailers design allows for recycling, separating the paper from the plastic film.

Paper to choose from:



It is possible to order mailers with a certificate:



The mark of responsible forestry  
FSC® C134989

Ask about FSC® certified products

You can order FSC®-certified bubble envelopes with an FSC® product label printed on the front or back of the envelope. The FSC® MIX category is available for the papers offered by PACKAIR. Envelopes can be produced with a label bearing the FSC® license code C134989 assigned to PACKAIR Sp. z o.o., the FSC® license code of the end customer, or the FSC® license code of an intermediary.

# Types of closing flaps

## - e-commerce flap with return option



1

The packing operator places the shipment in an mailer.



2

The adhesive strip is removed, exposing the adhesive of the closing flap.



3

The packer closes the flap, the glue sticks permanently to the paper, and ships the package.



4

The recipient opens the flap by pulling the string from the left or right side in places of visible perforation.



4

The recipient removes the products from the mailer.



5

If the recipient decides to return the goods, he places them in an envelope together with the documents and peels off the second silicone strip.




6

The recipient closes the flap, and the adhesive permanently adheres to the paper. They send the return.



7

The seller pulls open the flap and removes the return. The mailer's design allows for recycling, separating the paper from the plastic film.



Paper to choose from:



It is possible to order mailers with a certificate:



The mark of responsible forestry  
FSC® C134989

Ask about FSC® certified products

You can order FSC®-certified bubble envelopes with an FSC® product label printed on the front or back of the envelope. The FSC® MIX category is available for the papers offered by PACKAIR. Envelopes can be produced with a label bearing the FSC® license code C134989 assigned to PACKAIR Sp. z o.o., the FSC® license code of the end customer, or the FSC® license code of an intermediary.

# Types of closing flaps - straight flap in RBD envelope




1

The packing operator places the shipment in mailer.



2

The adhesive strip is removed, exposing the adhesive of the closing flap.



Paper to choose from:



3

The packer closes the flap, the glue sticks permanently to the paper, and ships the package.



4

The recipient removes the products from the envelope.

It is possible to order envelopes with a certificate at no extra charge:




The mark of  
responsible forestry  
FSC® C134989

### Ask about FSC® certified products

You can order FSC®-certified bubble envelopes with an FSC® product label printed on the front or back of the envelope. The FSC® MIX category is available for the papers offered by PACKAIR. Envelopes can be produced with a label bearing the FSC® license code C134989 assigned to PACKAIR Sp. z o.o., the FSC® license code of the end customer, or the FSC® license code of an intermediary.




## PRINTING OPTIONS



**PACKAIR**



### INK-JET printing




**INK-JET printing** (single-sided printing, simple description, and EAN 13)

- minimum order: 5,000 pieces or 1 pallet
- delivery time: 10-15 business days
- black printing

**Information for specialists**

- The print is applied during envelope production on the folding machine.
- The most affordable printing method.





# Printing options

## - FLEXO printing, minimum order quantity 5,000 pcs.



### FLEXO print: 1+0 (print on the front and envelope flap)




**APLA print with selection FLEXO print 1-6 APLA colors - SINGLE-SIDED and DOUBLE-SIDED!**

- Minimum order 5,000 pieces
- Lead time 10-20 business days
- PANTONE colors

#### Information for specialists

- The most frequently chosen FLEXO print
  - Note that when the flap is closed, the print on the front transfers to the back of the envelope.
  - Printing is performed on a FLEXO roll printer.
- The printed paper is then folded in the envelope-making machine.



# Printing options


- FLEXP printing, minimum order quantity 5,000 pcs.



## FLEXP print: 1+1 (print on the front and back of the mailer)


Black ■ (heat resistance waterbased ink)  
Format: C/13

(printing flexo: 1+1)



Black ■ (heat resistance waterbased ink)  
Format: C/13




(printing flexo: 1+1)



**APLA print with selection FLEXP print 1-6 APLA colors - SINGLE-SIDED and DOUBLE-SIDED!**  
- Minimum order 5,000 pieces  
- Lead time 10-20 business days  
- PANTONE colors

### Information for specialists


- Printing is performed on a FLEXP roll-fed printer, printing on two separate sheets of paper.
- The printed paper is then folded in the envelope-making machine. In this case, „double-folding” occurs, which means that the two paper sheets are aligned in the folding machine, slowing down the folding machine.



### FLEXO print: 2+1 APLA (two-color print on the front and full-surface print on the back of the mailer)


Black ■ (heat resistance waterbased ink)  
 PANTONE 2412 U ■ (standard waterbased ink)  
 Format: C/13

(printing flexo: 2+1 APLA)



Black ■ (heat resistance waterbased ink)  
 PANTONE 2412 U ■ (standard waterbased ink)  
 Format: C/13



(printing flexo: 2+1 APLA)



**APLA print with selection**  
 FLEXO print 1-6 APLA colors - SINGLE-SIDED and DOUBLE-SIDED!  
 - Minimum order 5,000 pieces  
 - Lead time 10-20 business days  
 - PANTONE colors

#### Information for specialists

- Printing is performed on a FLEXO roll-fed printer, using two separate paper webs.
  - In this case, the front is printed using standard polymers. The back is printed with 100% APLA using existing equipment at the plant (at no additional cost to the customer).
  - The printed paper is then folded in an envelope-making machine (there is no registration mark, and APLA does not require registration).
- In this case we are not dealing with a back-to-front fit.





### FLEXP print: 2 APLA + 2 APLA (two-color print on the front and full-surface back)

Black ■ (heat resistance waterbased ink)  
 PANTONE 2412 U ■ (heat resistance waterbased ink)  
 Format: C/13

(printing flexo: 2 APLA +2 APLA)

Black ■ (heat resistance waterbased ink)  
 PANTONE 2412 U ■ (heat resistance waterbased ink)  
 Format: C/13


(printing flexo: 2 APLA +2 APLA)



**APLA print with selection**  
**FLEXP print 1-6 APLA colors - SINGLE-SIDED and DOUBLE-SIDED!**  
 - Minimum order 5,000 pieces  
 - Lead time 10-20 business days  
 - PANTONE colors

#### Information for specialists

- Printing is performed on a FLEXP roll-fed printer, printing on two separate paper webs.
- In this case, the front is printed using regular polymer and 100% APLA, using existing equipment in the plant. The back is printed using regular polymer and endless APLA printing with a selection.
- The printed paper is then folded in the envelope-making machine. In this case, „double-sided folding” occurs, which means that the two paper webs are matched against each other in the folding machine, slowing down the folding machine.





# Printing options

- FLEVO printing, minimum order quantity 5,000 pcs.




## FLEVO print: 2 APLA + 2 APLA (two-color print on the front and full-surface back)

Black ■ (heat resistance waterbased ink)  
 PANTONE 2412 U ■ (heat resistance waterbased ink)  
 PANTONE 631 U ■ (standard waterbased ink)  
 PANTONE 705 U ■ (standard waterbased ink)

(printing flexo: 4 APLA +2 APLA)


Format: C/13



Black ■ (heat resistance waterbased ink)  
 PANTONE 2412 U ■ (heat resistance waterbased ink)  
 PANTONE 631 U ■ (standard waterbased ink)  
 PANTONE 705 U ■ (standard waterbased ink)

(printing flexo: 4 APLA +2 APLA)


Format: C/13



APLA print with selection  
**FLEVO print 1-6 APLA colors - SINGLE-SIDED and DOUBLE-SIDED!**  
 - Minimum order 5,000 pieces  
 - Lead time 10-20 business days  
 - PANTONE colors

### Information for specialists

- Printing is performed on a FLEVO roll-fed printer, printing on two separate paper webs.
- In this case, both the front and back are printed using standard polymers and two APLA sleeves with a recess.
- The printed paper is then folded in the envelope-making machine. In this case, „double-sided folding” occurs, which means that the two paper webs are aligned in the folding machine, slowing down the folding machine.






# PACKAIR - OFFSET CMYK printing, minimum order quantity 5,000 pcs.

## Printing options


**OFFSET printing: CMYK + 0 (CMYK printing on one side)**  
*Attractively priced print run ~ from 30,000 pieces - due to expensive print setup.*

Offset **CMYK + 0**  
Format: D/14



file for customer - page NO. 1

Offset **CMYK + 0**  
Format: D/14



file for customer - page NO. 2



OFFSET-CMYK


**CMYK OFFSET printing (~up to 90% opacity) SINGLE-SIDED and DOUBLE-SIDED!**

- Minimum order: 5,000 pieces
- Lead time: 20-25 business days
- CMYK colors
- CMYK format dimensions differ from standard formats
- Offset CMYK for formats: A11 - E15 + CD/21

### Information for specialists

- Printing is performed on an offset roll printer. The printed paper is then folded in an envelope-making machine.
- Minimum order quantity is 5,000 pieces (price-friendly quantities start at 30,000 pieces due to the costly print setup).
- Full-surface printing is not possible with this technology because offset inks are not suitable for contact with the hot anvils of folding machines.

paper: white offset






# Printing options

- OFFSET CMYK printing, minimum order quantity 5,000 pcs.




**OFFSET printing: CMYK + CMYK (CMYK printing on both sides)**  
 Attractively priced print runs of ~30,000 pieces - due to expensive print setup.

Offset **CMYK** + Offset **CMYK**  
 Format: D/14




Offset **CMYK** + Offset **CMYK**  
 Format: D/14



**CMYK OFFSET printing (~up to 90% opacity) SINGLE-SIDED and DOUBLE-SIDED!**  
 - Minimum order: 5,000 pieces  
 - Lead time: 20-25 business days  
 - CMYK colors  
 - CMYK format dimensions differ from standard formats  
 - Offset CMYK for formats: A11 - E15 + CD/21

**Information for specialists**


- Printing is done on an offset roll printer.
- Minimum order quantity is 5,000 pieces (price-conscious print runs of ~30,000 pieces are available due to the costly print setup).
- The printed paper is then folded in the envelope-making machine. In this case, „double-folding” occurs, which means that two paper webs are aligned in the folding machine, slowing down the folding machine.
- Full-surface printing is not possible with this technology because offset inks are not designed to withstand the hot anvils of folding machines.



file for customer - page NO. 2



## POSSIBILITIES OF PRINTING ON A READY MAILER



# PACKAIR

# Printing options

## - DIGITAL printing, minimum order quantity: 1 carton




DIGITAL print: CMYK colors, only on the front, max. area 210x210 mm.

ink printing CMYK on *Super pak extra*® Pantone 280 ■

(printing DIGITAL+0)


Format: C/13



ink printing CMYK on *Super pak extra*® Pantone 280 ■

(printing DIGITAL+0)

Format: C/13



**DIGITAL printing (on a pre-made envelope - unlimited colors, CMYK, registered printing)**  
 - single-sided printing, 1 box - 5,000 pieces, printing only on the front of the envelope, CMYK printing on brown paper differs in color from printing on white paper.

**Note for specialists**  
 - We source standard Super Pack Extra from warehouses and then print on the unprinted front.  
 - The maximum print area is 220x220 mm. Due to the curved edge of the envelope, the minimum distance from the edge is 30 mm. Print only on the front. This is due to the closing flap catching on the print head.






DIGITAL print: CMYK colors, only on the front, max. area 210x210 mm.


ink printing CMYK  
Format: C/13

(printing DIGITAL+0)



ink printing CMYK  
Format: C/13

(printing DIGITAL+0)




**DIGITAL printing (on a pre-made envelope - unlimited colors - CMYK colors, registered printing)**

- priority is given to producing plain envelopes;
- printing for quantities of 2,000 ~ 5,000 pieces,
- single-sided printing only on the front.

**Information for specialists**

- We produce plain envelopes upon special order. We then print on the completed envelopes.
- The maximum print area is 220x220 mm. Due to the curved edge of the envelope, the minimum distance from the edge is 30 mm. Printing is only possible on the front. This is due to the closing flap catching on the print head.



Packair Sp. z o. o.  
Przyprostynia, ul.Prandoty 150, 64-360 Zbąszyń  
NIP: 7773124311

You can order bubble and expandable mailers with the following certificate:



The mark of  
responsible forestry  
FSC® C134989

We belong to the Kuvert Polska Group:



=

